

IL2 Graph PII


2019.02.24
Takashi Omori

Chemical.1

2019/02/24


Lead Lab.

N:NNN



Lab A


N:NNN



Chemical.1

Lab B

N:NNN



Lab C

N:NNN




3

Chemical.2


Lead Lab.

S:SNS



Lab A

S:SSS




4

Chemical.2

Lab B

S:ASS



Lab C

S:NSS




5

Chemical.3

Lead Lab.

N:SNN



Lab A

N:NNN




6

Chemical.3


Lab B

N:NSN



Lab C

N:NAN




7

Chemical.4


Lead Lab.

S:SSA



Lab A

A/S:A/S A/S A/S




8

Chemical.4


Lab B

A:NAA



Lab C

N:NNA




9

Chemical.5


Lead Lab.

S:SSS



Lab A

S:SSS




10

Chemical.5


Lab B

S:SSS



Lab C

S:SSS




11

Chemical.6

Lead Lab.

N:NNN



Lab A


N:NNN

12


Chemical.6

Lab B


N:NNN




1st Exp.	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.031	7.242	-2.849	17.333	
0.061	23.665	17.610	29.721	
0.122	15.165	-3.054	33.385	
0.244	12.882	6.443	19.941	
0.488	19.489	11.046	27.933	
0.977	18.930	11.985	25.874	
1.953	11.857	3.260	20.454	
3.906	16.440	-11.644	44.525	
7.813	14.979	1.437	28.522	
15.625	6.442	-3.907	16.791	




2nd Exp.	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.031	3.240	-17.845	24.326	
0.061	1.136	-18.356	20.629	
0.122	7.102	-16.627	30.831	
0.244	3.189	-15.208	22.586	
0.488	11.314	-7.921	30.548	
0.977	1.840	-21.984	25.264	
1.953	-4.286	-31.489	22.918	
3.906	-0.012	-20.504	20.480	
7.813	-7.911	-30.897	15.075	
15.625	-23.273	-47.972	1.426	




3rd Exp.	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.031	1.945	-9.445	13.335	
0.061	6.695	-3.649	17.040	
0.122	-1.915	-24.884	21.053	
0.244	0.071	-17.717	17.659	
0.488	7.973	-3.799	19.745	
0.977	1.548	-10.113	13.210	
1.953	-1.752	-18.434	14.930	
3.906	-1.466	-15.240	12.307	
7.813	-3.764	-14.842	7.314	
15.625	-19.292	-33.189	-5.425	



1st Exp.	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.008	11.485	4.395	18.596	
0.015	3.125	-1.856	8.105	
0.031	-4.690	-15.158	5.779	
0.061	4.173	-7.328	15.674	
0.122	1.109	-5.139	7.356	
0.244	4.408	-0.361	9.178	
0.488	10.430	6.114	14.747	
0.977	3.778	-2.484	10.040	
1.953	9.817	2.888	16.746	
3.906	10.062	3.748	16.375	



2nd Exp.	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.008	11.879	-1.634	25.392	
0.015	15.745	2.707	28.784	
0.031	16.044	1.445	30.642	
0.061	9.860	-4.608	24.526	
0.122	24.475	16.101	32.848	
0.244	16.193	7.083	25.302	
0.488	18.802	8.824	28.779	
0.977	16.301	6.855	25.746	
1.953	18.652	6.725	30.579	
3.906	22.554	14.162	30.946	




4th Exp.	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.008	6.382	-4.306	17.070	
0.015	12.206	2.436	21.976	
0.031	21.178	12.385	29.971	
0.061	21.515	10.336	32.693	
0.122	17.218	9.295	25.141	
0.244	3.059	-5.874	11.991	
0.488	12.613	3.194	22.031	
0.977	27.356	18.185	35.518	
1.953	25.228	17.603	32.853	
3.906	13.585	1.378	25.793	

13


Chemical.7

Lead Lab.


N:NNN




1st Exp.	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.977	4.280	-6.358	16.918	
1.953	-2.207	-18.588	14.173	
3.906	-6.540	-22.415	9.335	
7.813	0.132	-16.437	16.700	
15.625	-0.748	-15.865	14.369	
31.250	-4.813	-24.488	14.861	
62.500	-4.945	-20.495	10.605	
125.000	0.562	-15.405	16.528	
250.000	0.220	-17.690	18.131	
500.000	1.619	-8.959	12.198	




2nd Exp.	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.977	-1.370	-11.548	8.808	
1.953	-11.359	-22.697	-0.032	
3.906	-9.562	-21.856	2.731	
7.813	-2.972	-12.446	6.503	
15.625	-8.803	-19.128	1.522	
31.250	-14.002	-25.296	-2.709	
62.500	-14.511	-27.697	-1.325	
125.000	-12.268	-24.508	-0.029	
250.000	-6.686	-18.008	4.636	
500.000	-1.944	-13.128	9.240	




3rd Exp.	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.977	-0.254	-20.496	19.988	
1.953	-3.437	-23.530	16.656	
3.906	18.345	-8.829	37.520	
7.813	13.876	-4.592	32.344	
15.625	3.871	-16.453	24.184	
31.250	6.636	-14.070	27.342	
62.500	-11.877	-33.334	9.581	
125.000	-1.974	-22.699	18.752	
250.000	-14.729	-36.395	6.940	
500.000	-19.447	-39.418	0.525	



1st Exp.	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.977	2.839	-21.654	27.332	
1.953	0.689	-19.218	20.516	
3.906	0.946	-16.560	18.252	
7.813	-11.236	-31.094	8.622	
15.625	-7.176	-22.555	8.203	
31.250	5.711	-10.789	22.211	
62.500	11.200	-4.600	27.000	
125.000	-1.001	-18.325	16.323	
250.000	2.057	-17.617	21.731	
500.000	-4.876	-30.445	20.293	




2nd Exp.	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.977	-7.079	-13.710	-0.448	
1.953	-4.534	-12.200	3.132	
3.906	-2.530	-10.729	5.669	
7.813	-1.270	-8.889	6.330	
15.625	-0.604	-8.162	6.954	
31.250	0.384	-8.357	9.154	
62.500	-6.972	-18.795	4.850	
125.000	-4.768	-15.925	6.389	
250.000	-10.007	-16.985	-3.025	
500.000	-7.177	-17.511	3.156	




3rd Exp.	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.977	1.471	-5.209	8.152	
1.953	5.199	-4.298	14.656	
3.906	4.388	-1.746	10.524	
7.813	1.195	-7.302	9.692	
15.625	3.336	-4.951	11.622	
31.250	9.460	-1.131	20.060	
62.500	7.769	-2.238	17.776	
125.000	-0.240	-8.559	8.078	
250.000	-0.382	-7.467	6.702	
500.000	0.252	-6.496	9.000	

14


Chemical.7

Lab B
N:NNN


1st Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	-3.431	-13.677	6.814	
1.953	-1.044	-10.023	7.934	
3.906	3.337	-7.353	14.027	
7.813	8.121	-4.822	21.063	
15.625	15.006	2.767	27.246	
31.250	4.730	-7.812	17.073	
62.500	1.056	-11.263	13.375	
125.000	7.036	-6.513	20.584	
250.000	-3.971	-12.819	4.877	
500.000	-0.137	-14.310	14.035	




3rd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	9.319	-0.287	18.924	
1.953	12.822	3.234	22.410	
3.906	9.901	-1.505	21.308	
7.813	1.991	-11.020	15.003	
15.625	10.906	0.323	21.489	
31.250	18.048	7.511	28.584	
62.500	14.584	4.581	24.588	
125.000	7.862	-3.658	19.382	
250.000	10.564	-1.384	22.513	
500.000	-0.258	-13.548	13.031	




4th Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	-4.896	-14.274	4.482	
1.953	1.410	-13.525	16.345	
3.906	-5.770	-23.599	12.059	
7.813	-8.170	-17.423	1.083	
15.625	-3.205	-17.431	11.022	
31.250	-5.848	-16.224	4.528	
62.500	-2.384	-10.388	5.619	
125.000	-16.721	-26.471	-6.971	
250.000	-12.525	-24.004	-1.046	
500.000	-38.661	-72.341	-4.981	

Lab C
N:NNN

1st Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	0.722	-8.313	9.756	
1.953	-6.139	-15.419	3.142	
3.906	-3.123	-14.309	8.063	
7.813	-6.534	-16.305	3.238	
15.625	-2.070	-13.487	9.347	
31.250	6.220	-1.794	14.235	
62.500	4.467	-3.815	12.750	
125.000	-0.351	-8.173	7.471	
250.000	-5.623	-17.076	5.831	
500.000	2.932	-4.871	10.735	




2nd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	5.276	-10.616	21.168	
1.953	-1.758	-16.728	13.212	
3.906	-0.448	-10.264	9.368	
7.813	6.341	-11.477	24.159	
15.625	10.094	1.752	18.437	
31.250	2.231	-17.130	21.592	
62.500	13.904	-0.189	27.997	
125.000	2.850	-15.331	21.032	
250.000	6.619	0.775	12.464	
500.000	11.383	2.759	20.007	




3rd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	5.604	-11.636	22.844	
1.953	-8.148	-26.396	10.099	
3.906	1.335	-13.106	15.776	
7.813	2.096	-10.749	14.941	
15.625	4.648	-15.020	24.316	
31.250	-1.885	-17.364	13.594	
62.500	2.512	-16.525	21.550	
125.000	-6.797	-22.866	9.272	
250.000	-4.770	-20.044	10.503	
500.000	-16.727	-32.000	-1.455	

15


Chemical.8

Lead Lab.
A:A A/S A


1st Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
ddw	0	0	0	0
3.906	-4.713	-17.878	8.451	
7.813	-5.628	-19.228	8.571	
15.625	-5.485	-23.192	12.201	
31.250	-19.233	-35.776	-2.689	
62.500	-36.169	-53.169	-19.169	
125.000	-43.920	-62.780	-25.061	
250.000	49.531	42.853	56.209	




2nd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
ddw	0	0	0	0
1.953	-8.181	-21.880	5.519	
3.906	-16.127	-32.119	-0.135	
7.813	-11.694	-26.277	2.469	
15.625	-16.003	-30.553	-1.454	
31.250	-24.068	-41.897	-6.239	
62.500	-36.833	-53.694	-19.973	
125.000	-35.017	-51.536	-18.488	
250.000	35.101	26.404	43.798	
500.000	96.938	96.042	97.835	




3rd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
ddw	0	0	0	0
1.953	4.116	-13.054	21.287	
3.906	4.274	-16.016	24.565	
7.813	-1.188	-22.540	20.164	
15.625	-8.448	-27.684	10.788	
31.250	-27.811	-50.738	-4.883	
62.500	-33.183	-58.609	-7.756	
125.000	-75.721	-102.474	-48.967	
250.000	38.934	28.057	49.811	

Lab A
A:AAA

1st Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
ddw	0	0	0	0
3.906	7.244	1.804	12.683	
7.813	1.530	-6.419	9.480	
15.625	-15.728	-22.444	-9.012	
31.250	-26.632	-36.686	-16.979	
62.500	-63.564	-82.956	-44.171	
125.000	-133.259	-159.285	-107.254	
250.000	-22.160	-44.368	0.048	



2nd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
ddw	0	0	0	0
1.953	-11.811	-27.957	4.335	
3.906	-28.946	-48.050	-9.842	
7.813	-33.023	-58.336	-7.711	
15.625	-40.348	-62.253	-18.442	
31.250	-53.689	-79.185	-28.194	
62.500	-86.805	-125.327	-48.283	
125.000	-140.610	-184.854	-96.367	
250.000	-21.735	-49.118	5.648	




3rd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
ddw	0	0	0	0
1.953	3.689	-13.131	20.510	
3.906	14.970	3.377	26.362	
7.813	5.782	-8.126	19.691	
15.625	-2.709	-23.185	17.768	
31.250	-25.550	-43.381	-7.720	
62.500	-55.783	-76.350	-35.215	
125.000	-99.649	-128.010	-71.288	
250.000	-50.252	-73.849	-26.656	
500.000	94.795	93.983	95.609	

16

Chemical.8


Lab B

A:SAA



Lab C

A:ANA




17

Chemical.9


Lead Lab.

A/S:N A/S A/S



Lab A

A:AAA




18

Chemical.9

Lab B

A:AAA




19

Chemical.10

Lead Lab.

S:SSN



Lab A


S:SSS

20

Chemical.10


Lab B

N:ANN



Lab C

S:SSS




21

Chemical.11

Lead Lab.

N:NNN



Lab A


N:NNN

22

Chemical.11


Lab B

S:SSS



Lab C

N:NNN




23

Chemical.12


Lead Lab.

A:AAA



Lab A

A:AAA




24

Chemical.12


Lab B

A:AAA



Lab C

A:AAA




25

Chemical.13

Lead Lab.

S:SSS



Lab A

S:SNS


26

Chemical.13

Lab B


S:SSS

2nd Exp.




Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.004	13.370	5.435	21.306
0.008	18.324	10.418	26.231
0.015	22.640	11.834	33.445
0.031	34.982	20.779	49.198
0.061	60.987	51.085	70.979
0.122	64.658	50.553	78.762
0.244	82.848	76.185	89.511

3rd Exp.



Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.002	12.924	-9.449	35.298
0.004	-3.161	-21.920	15.598
0.008	-1.417	-18.258	15.424
0.015	2.279	-16.076	20.634
0.031	7.203	-10.754	25.161
0.061	7.425	-15.502	30.352
0.122	27.812	18.400	37.225
0.244	40.467	14.348	66.586
0.488	96.294	95.345	97.242

5th Exp.




Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.002	11.123	-0.500	22.746
0.004	14.904	5.365	24.444
0.008	16.165	6.508	25.821
0.015	7.918	-1.239	17.076
0.031	15.699	7.187	24.211
0.061	30.245	19.313	41.178
0.122	52.078	42.388	61.768
0.244	79.062	66.164	91.961
0.488	99.068	98.499	99.637

Lab C


S:SSS

2nd Exp.




Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.004	31.931	18.038	45.824
0.008	32.821	21.188	44.454
0.015	36.991	28.257	47.726
0.031	33.810	19.282	48.338
0.061	34.537	23.584	45.490
0.122	39.253	27.280	51.227
0.244	62.951	56.827	69.075
0.488	97.038	95.384	98.692

3rd Exp.



Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.004	-3.664	-19.571	12.243
0.008	0.036	-14.476	14.548
0.015	-0.472	-13.012	12.069
0.031	-7.624	-24.049	8.801
0.061	3.172	-7.694	14.037
0.122	4.684	-5.237	14.606
0.244	72.011	68.599	75.423

4th Exp.



Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.004	0.775	-7.205	8.755
0.008	14.107	5.976	22.238
0.015	7.937	1.677	14.196
0.031	-1.114	-11.837	9.609
0.061	3.950	-6.476	14.376
0.122	52.589	47.495	57.682
0.244	99.431	98.563	100.299


27

Chemical.14

Lead Lab.


A:AAN

1st Exp.




Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	1.986	-10.288	14.259
1.953	-7.766	-23.669	8.136
3.906	-1.368	-13.762	11.026
7.813	-5.620	-21.190	9.950
15.625	-30.091	-53.544	-6.638
31.250	-63.413	-98.470	-28.357
62.500	-93.778	-123.086	-64.470
125.000	-90.424	-109.154	-71.693

2nd Exp.



Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	-2.638	-24.255	19.018
1.953	-1.179	-21.508	19.150
3.906	-11.436	-29.695	6.793
7.813	-28.297	-49.670	-6.903
15.625	-39.566	-67.048	-12.084
31.250	-51.468	-76.363	-27.574
62.500	-71.495	-95.833	-47.157
125.000	-62.384	-85.908	-38.859

3rd Exp.




Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	-5.417	-15.928	5.093
1.953	-12.100	-24.795	0.594
3.906	-10.062	-20.549	0.425
7.813	-29.939	-45.361	-14.517
15.625	-12.556	-23.076	-2.036
31.250	-26.184	-39.809	-12.558
62.500	-23.741	-37.817	-9.664
125.000	-9.024	-19.199	1.151

Lab A


A:AAA

1st Exp.




Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	8.250	-14.447	30.947
1.953	2.039	-20.369	24.447
3.906	-1.882	-24.859	21.094
7.813	-13.894	-39.541	11.753
15.625	-39.924	-75.984	-3.865
31.250	-71.976	-110.629	-33.323
62.500	-98.055	-140.893	-55.218
125.000	-76.975	-116.311	-37.638
250.000	-91.427	-130.873	-51.981

2nd Exp.



Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	3.700	-17.718	25.117
1.953	-2.767	-17.814	12.279
3.906	-3.143	-17.473	11.186
7.813	-19.418	-39.166	0.329
15.625	-53.069	-79.269	-26.869
31.250	-87.557	-117.375	-57.738
62.500	-121.886	-157.345	-86.427
125.000	-101.411	-132.725	-70.097
250.000	-98.370	-126.633	-70.107

3rd Exp.




Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	-2.199	-19.012	14.613
1.953	-0.453	-17.551	16.644
3.906	-3.746	-21.231	13.738
7.813	-2.055	-19.800	15.690
15.625	-5.582	-23.570	12.405
31.250	-23.882	-45.402	-2.363
62.500	-61.876	-89.272	-34.480
125.000	-105.051	-138.972	-71.130
250.000	-83.946	-90.784	-37.108

28

Chemical.14


Lab B

A:AAA



Lab C

A:AAA




29

Chemical.15


Lead Lab.

S:SSS



Lab A

A:AAN




30

Chemical.15


Lab B

S:SSS



Lab C

S:SSN




31

Chemical.16

Lead Lab.


N:NNN



Chemical.16


Lab B

N:NNN



Lab C

N:NNN




33

Chemical.17

Lead Lab.

N:NNN




Lab A

N:NNN

34


Chemical.17

Lab B
N:NNN

1st Exp.					
a	Comparison	%supp	Lower Limit	Upper Limit	
Conc.					
ddw	0	0	0	0	
3.906	9.235	-2.900	21.370		
7.813	1.675	-8.728	12.078		
15.625	2.170	-9.789	14.129		
31.250	9.964	1.347	18.581		
62.500	7.276	-4.252	18.804		
125.000	10.022	1.888	18.155		
250.000	2.193	-14.572	18.957		
500.000	-5.313	-22.794	12.167		
1000.000	1.834	-9.956	13.623		
2000.000	-14.284	-25.081	-3.487		

2nd Exp.					
a	Comparison	%supp	Lower Limit	Upper Limit	
Conc.					
ddw	0	0	0	0	
3.906	-2.702	-12.640	7.236		
7.813	-3.208	-13.428	7.012		
15.625	16.367	-1.989	34.723		
31.250	5.867	-7.023	19.657		
62.500	3.124	-14.017	20.265		
125.000	7.616	-2.404	17.637		
250.000	29.492	18.627	40.357		
500.000	1.537	-9.722	12.797		
1000.000	1.324	-23.592	26.241		
2000.000	-12.153	-29.247	4.941		

3rd Exp.					
a	Comparison	%supp	Lower Limit	Upper Limit	
Conc.					
ddw	0	0	0	0	
3.906	6.870	-4.552	18.292		
7.813	-0.889	-10.386	8.607		
15.625	11.479	-12.060	35.017		
31.250	3.487	-9.613	16.588		
62.500	-7.520	-18.958	3.918		
125.000	-4.518	-17.717	8.682		
250.000	-5.460	-19.592	8.672		
500.000	-5.260	-20.266	9.746		
1000.000	-7.750	-19.275	3.776		
2000.000	-19.546	-36.099	-2.993		

Lab C
N:ANN

1st Exp.					
a	Comparison	%supp	Lower Limit	Upper Limit	
Conc.					
ddw	0	0	0	0	
3.906	-33.802	-50.489	-17.136		
7.813	-3.814	-19.693	12.065		
15.625	-24.447	-33.829	-15.065		
31.250	0.065	-13.040	13.171		
62.500	-29.869	-45.639	-14.078		
125.000	-11.985	-22.517	-1.453		
250.000	-41.603	-70.701	-12.505		
500.000	-58.757	-79.734	-38.781		
1000.000	-19.430	-32.418	-6.441		
2000.000	-56.165	-67.932	-44.398		


2nd Exp.					
a	Comparison	%supp	Lower Limit	Upper Limit	
Conc.					
ddw	0	0	0	0	
3.906	-2.342	-17.411	12.727		
7.813	0.169	-14.169	14.506		
15.625	-0.646	-13.699	12.406		
31.250	-3.186	-17.276	10.903		
62.500	-7.721	-21.135	5.693		
125.000	-1.286	-18.942	16.370		
250.000	2.467	-14.619	19.552		
500.000	-4.052	-20.088	11.984		
1000.000	6.434	-5.197	18.066		
2000.000	-0.440	-13.020	12.141		

3rd Exp.					
a	Comparison	%supp	Lower Limit	Upper Limit	
Conc.					
ddw	0	0	0	0	
3.906	12.816	3.838	21.795		
7.813	7.254	-4.056	18.563		
15.625	7.999	-0.974	16.973		
31.250	4.711	-5.903	16.325		
62.500	-3.807	-14.603	6.989		
125.000	5.802	-4.024	15.627		
250.000	-10.854	-21.678	-0.030		
500.000	2.166	-3.395	12.727		
1000.000	-13.639	-26.341	-0.936		
2000.000	-30.528	-46.059	-14.997		

35

Chemical.18


2019/02/24

Lead Lab.
N:NNN

1st Exp.					
a	Comparison	%supp	Lower Limit	Upper Limit	
Conc.					
ddw	0	0	0	0	
3.906	9.961	-0.354	20.275		
7.813	8.677	-5.514	22.868		
15.625	10.943	-9.996	28.891		
31.250	-1.130	-14.268	12.008		
62.500	2.844	-7.643	13.332		
125.000	4.384	-4.384	13.163		
250.000	16.888	9.212	24.564		
500.000	8.616	0.334	16.898		
1000.000	4.650	-10.031	19.331		
2000.000	9.973	2.341	17.606		

2nd Exp.					
a	Comparison	%supp	Lower Limit	Upper Limit	
Conc.					
ddw	0	0	0	0	
3.906	0.904	-4.327	6.136		
7.813	-4.343	-8.552	-0.134		
15.625	-1.002	-5.173	3.169		
31.250	-3.842	-9.873	2.189		
62.500	-0.839	-6.526	4.649		
125.000	2.634	-0.789	6.437		
250.000	5.357	-2.558	13.272		
500.000	6.017	-7.877	19.911		
1000.000	8.311	-2.893	19.515		
2000.000	17.232	5.992	28.471		

3rd Exp.					
a	Comparison	%supp	Lower Limit	Upper Limit	
Conc.					
ddw	0	0	0	0	
3.906	5.654	-10.979	22.288		
7.813	-6.002	-20.939	8.935		
15.625	5.965	-16.367	29.297		
31.250	8.455	-7.900	24.810		
62.500	0.108	-16.940	17.157		
125.000	0.770	-14.648	16.187		
250.000	1.495	-16.216	19.206		
500.000	-9.339	-31.444	12.766		
1000.000	-10.259	-26.776	6.259		
2000.000	-5.255	-19.102	8.592		

Lab A
N:SANN

1st Exp.					
a	Comparison	%supp	Lower Limit	Upper Limit	
Conc.					
ddw	0	0	0	0	
3.906	7.759	-18.633	34.151		
7.813	6.362	-31.857	44.712		
15.625	21.847	-33.376	77.070		
31.250	-4.615	-48.452	39.222		
62.500	10.885	-18.765	40.535		
125.000	8.253	-23.934	40.439		
250.000	14.218	-19.683	48.120		
500.000	19.683	-17.377	56.742		
1000.000	33.016	12.010	54.022		
2000.000	35.210	5.558	64.862		

2nd Exp.					
a	Comparison	%supp	Lower Limit	Upper Limit	
Conc.					
ddw	0	0	0	0	
3.906	-24.049	-51.936	3.839		
7.813	-32.322	-53.457	-11.148		
15.625	-45.630	-61.017	-30.243		
31.250	-42.869	-36.839	-28.796		
62.500	-44.828	-56.482	-33.173		
125.000	-20.730	-35.847	-5.612		
250.000	-22.968	-37.212	-6.864		
500.000	-17.532	-41.882	6.918		
1000.000	-20.189	-43.986	2.602		
2000.000	-20.873	-37.115	-4.030		

3rd Exp.					
a	Comparison	%supp	Lower Limit	Upper Limit	
Conc.					
ddw	0	0	0	0	
3.906	1.233	-10.504	12.971		
7.813	-5.589	-11.091	-1.088		
15.625	-4.508	-11.599	2.583		
31.250	-13.299	-20.686	-4.863		
62.500	-11.543	-21.732	-1.354		
125.000	-15.938	-24.173	-7.702		
250.000	-8.728	-17.891	-1.655		
500.000	-8.279	-15.078	-1.480		
1000.000	-4.948	-12.746	2.850		
2000.000	1.788	-11.121	14.697		


4th Exp.					
a	Comparison	%supp	Lower Limit	Upper Limit	
Conc.					
ddw	0	0	0	0	
3.906	-1.978	-9.890	5.934		
7.813	3.029	-6.694	14.753		
15.625	5.097	-1.082	11.196		
31.250	2.404	-3.412	8.220		
62.500	0.872	-4.022	5.765		
125.000	1.825	-5.323	8.973		
250.000	5.836	-9.980	16.712		
500.000	0.488	-4.154	5.131		
1000.000	-4.295	-12.620	4.029		
2000.000	5.603	-1.098	12.344		

36

Chemical.18

Lab B

N:NNN




37

Chemical.19

Lead Lab.

N:NNN



Lab A


N:NAN

38


Chemical.19

Lab B


N:NNN



1st Exp.	a Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.000	4.730	-1.639	11.098	
0.000	9.816	2.735	16.897	
0.000	11.287	5.508	17.065	
0.000	15.015	3.522	26.509	
0.000	21.359	16.135	27.583	
0.000	16.948	10.246	23.649	
0.000	16.649	8.688	24.610	
0.001	17.783	7.288	28.277	
0.002	15.809	7.468	24.151	
0.004	20.702	13.992	27.411	




3rd Exp.	a Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.000	-0.181	-14.335	13.973	
0.000	8.095	-6.652	22.841	
0.000	2.670	-11.080	16.419	
0.000	-0.063	-10.626	10.501	
0.000	3.758	-13.442	20.957	
0.000	5.051	-4.565	14.667	
0.000	9.971	-1.503	21.445	
0.001	3.692	-5.611	12.998	
0.002	6.711	-3.825	17.248	
0.004	-14.901	-32.691	2.890	




4th Exp.	a Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.000	-6.364	-18.418	5.690	
0.000	-10.514	-31.040	10.012	
0.000	-4.177	-23.790	15.436	
0.000	-9.786	-30.924	11.352	
0.000	-1.449	-22.471	19.573	
0.000	-6.970	-28.758	14.818	
0.000	-5.019	-24.513	14.476	
0.001	-11.890	-31.230	7.450	
0.002	4.666	-20.722	30.053	
0.004	-27.686	-48.330	-7.043	

Lab C


N:ANN



1st Exp.	a Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.000	-74.720	-85.932	-63.507	
0.000	-53.884	-63.077	-44.892	
0.000	-43.112	-52.401	-33.822	
0.000	-28.857	-35.048	-22.666	
0.000	-64.546	-76.963	-52.129	
0.000	-54.591	-62.900	-46.283	
0.000	-16.922	-35.418	1.574	
0.000	-26.312	-48.775	-3.849	
0.001	-19.135	-29.428	-8.841	
0.002	-19.237	-32.867	-5.608	



3rd Exp.	a Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.000	-5.125	-19.688	9.438	
0.000	4.849	-3.082	12.779	
0.000	4.305	-1.060	9.670	
0.000	6.121	0.386	11.857	
0.000	8.125	2.899	13.352	
0.000	5.765	0.041	11.488	
0.000	12.667	5.694	19.640	
0.000	14.563	9.519	19.608	
0.001	15.692	6.090	25.295	
0.002	14.243	8.260	20.225	




4th Exp.	a Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.000	-20.526	-32.081	-8.971	
0.000	-20.130	-30.358	-9.802	
0.000	-23.430	-33.140	-13.720	
0.000	-20.814	-30.587	-10.641	
0.000	-12.015	-23.421	-0.609	
0.000	-6.104	-18.940	6.731	
0.000	-8.618	-15.919	-1.317	
0.000	-5.326	-17.068	6.416	
0.001	-7.754	-17.678	2.170	
0.002	2.543	-4.491	9.577	

39


Chemical.20

Lead Lab.


S:SSS



1st Exp.	a Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.977	25.042	15.192	34.892	
1.953	40.767	32.867	48.576	
3.906	58.491	52.949	64.033	
7.813	78.670	75.760	81.581	
15.625	98.129	97.624	98.635	




2nd Exp.	a Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.122	1.705	-12.368	15.756	
0.244	-2.609	-17.385	12.167	
0.488	3.173	-13.084	19.430	
0.977	18.648	2.382	34.915	
1.953	31.340	22.561	40.170	
3.906	48.386	40.235	56.538	
7.813	80.909	76.712	85.106	
15.625	99.585	99.306	99.863	




3rd Exp.	a Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.122	6.943	-25.869	39.775	
0.244	0.559	-30.222	31.341	
0.488	14.368	-10.724	39.461	
0.977	35.036	14.713	55.360	
1.953	60.588	46.277	72.918	
3.906	68.843	58.262	79.424	
7.813	90.872	88.334	93.410	
15.625	99.592	99.359	99.825	
31.250	99.805	99.285	100.326	

Lab A


S:SSS



1st Exp.	a Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.977	27.054	21.403	32.704	
1.953	34.773	29.365	40.162	
3.906	56.316	52.079	59.657	
7.813	75.183	73.337	77.029	
15.625	92.338	91.437	93.239	
31.250	99.852	99.460	100.243	



2nd Exp.	a Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	10.006	-5.641	25.853	
0.488	19.594	2.382	36.787	
0.977	26.526	13.019	40.033	
1.953	43.032	31.952	54.113	
3.906	61.864	54.000	69.728	
7.813	80.235	75.657	84.814	
15.625	94.242	92.863	95.621	
31.250	99.996	99.811	100.120	




3rd Exp.	a Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	9.016	-3.948	21.979	
0.488	13.737	3.701	23.773	
0.977	25.344	15.851	34.836	
1.953	43.641	34.636	52.646	
3.906	55.206	48.053	62.359	
7.813	78.054	75.023	81.085	
15.625	95.011	94.125	96.898	
31.250	98.462	96.851	100.072	

40

Chemical.20

Lab B

S:SSS



Lab C

S:SSS

