

IL2 Graph P1


2019.02.24

Takashi Omori

Lead Lab.

2019/02/24

Chem.1
S:SSS




Chem.2
N:SNN




Lead Lab.

Chem.3


S:SSS



1st Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
ddw	0	0	0	0
3.906	2.885	-5.803	11.573	
7.813	1.021	-5.490	7.532	
15.625	5.570	-2.507	13.646	
31.250	21.468	13.822	29.113	
62.500	27.763	22.811	32.715	
125.000	63.414	59.357	67.471	
250.000	96.733	95.422	98.045	
500.000	99.908	99.812	100.004	
1000.000	100.002	99.895	100.118	
2000.000	100.033	99.816	100.251	




2nd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
ddw	0	0	0	0
3.906	7.728	-0.011	15.468	
7.813	16.337	8.694	23.980	
15.625	22.559	15.190	29.929	
31.250	35.234	29.749	40.718	
62.500	48.476	44.120	52.833	
125.000	77.669	75.604	79.734	
250.000	98.494	98.080	98.908	
500.000	99.915	99.842	99.989	
1000.000	99.870	99.711	100.030	
2000.000	100.360	100.311	100.409	




3rd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
ddw	0	0	0	0
3.906	24.034	16.790	31.278	
7.813	32.777	26.659	38.896	
15.625	40.806	35.812	45.799	
31.250	49.016	44.970	53.061	
62.500	72.526	68.439	76.613	
125.000	89.575	88.729	90.420	
250.000	98.869	98.721	99.017	
500.000	99.784	99.440	100.128	
1000.000	100.009	99.779	100.240	
2000.000	99.710	99.587	99.833	

Chem.4


N:SNN



1st Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.244	12.644	3.249	22.040	
0.488	13.196	8.730	17.663	
0.977	51.870	47.893	55.847	



2nd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.244	10.430	-1.679	22.539	
0.488	4.000	-10.718	18.718	
0.977	-24.350	-41.246	-7.454	




3rd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.244	-0.143	-10.192	9.906	
0.488	-4.596	-15.321	6.129	
0.977	65.117	59.116	71.118	

3


Lead Lab.

Chem.5


S:SSS



1st Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
ddw	0	0	0	0
3.906	3.901	0.241	7.562	
7.813	9.123	4.053	14.193	
15.625	13.438	10.165	16.712	
31.250	16.684	13.541	19.828	
62.500	31.287	27.652	34.921	
125.000	57.733	52.013	63.452	
250.000	88.330	86.340	90.319	



2nd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
ddw	0	0	0	0
3.906	3.159	-3.869	10.187	
7.813	8.670	3.240	14.100	
15.625	8.354	0.465	16.242	
31.250	19.973	9.928	30.019	
62.500	33.772	24.139	43.406	
125.000	57.167	46.591	67.744	
250.000	92.520	90.706	94.334	
500.000	100.026	99.439	100.614	




3rd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
ddw	0	0	0	0
3.906	7.936	3.796	12.076	
7.813	6.408	3.161	9.654	
15.625	11.972	6.524	17.421	
31.250	22.343	17.259	27.427	
62.500	38.994	37.483	40.504	
125.000	67.688	65.026	70.351	
250.000	95.886	95.552	96.220	
500.000	100.316	99.694	100.937	


4

round1


S:SSS



1st Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	34.721	27.171	42.272	
1.953	53.241	47.931	58.550	
3.906	70.784	68.790	72.778	
7.813	86.198	85.207	87.189	
15.625	96.139	95.729	96.549	
31.250	98.149	97.843	98.454	
62.500	99.534	99.168	99.901	
125.000	99.609	99.294	99.924	
250.000	99.537	99.291	99.782	
500.000	97.948	96.518	99.377	




2nd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	38.255	30.623	45.888	
1.953	52.040	42.711	61.369	
3.906	70.749	67.321	74.177	
7.813	89.001	87.853	90.148	
15.625	95.766	95.220	96.313	
31.250	97.274	96.769	97.779	
62.500	97.877	97.036	98.718	
125.000	98.211	97.271	99.151	
250.000	98.835	98.022	99.647	
500.000	98.636	97.883	99.389	




3rd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	30.382	24.396	36.369	
1.953	47.148	40.945	53.352	
3.906	70.956	67.400	74.511	
7.813	94.153	91.924	96.381	
15.625	98.355	97.480	99.231	
31.250	97.164	96.139	98.188	
62.500	98.646	98.137	99.155	
125.000	98.353	97.631	99.075	
250.000	98.383	98.082	98.684	
500.000	97.583	96.257	98.909	

round2


S:SSS



1st Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	18.886	10.495	27.301	
1.953	38.592	32.507	44.678	
3.906	60.086	55.623	64.550	
7.813	79.289	75.424	83.153	
15.625	95.848	93.418	98.279	
31.250	97.923	96.953	98.892	
62.500	98.186	97.119	99.253	
125.000	98.258	97.340	99.175	
250.000	96.643	95.581	97.706	
500.000	81.535	72.228	90.842	



2nd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	23.938	20.646	27.230	
1.953	45.339	42.434	48.244	
3.906	72.795	70.518	75.071	
7.813	85.893	83.192	88.594	
15.625	98.410	95.218	97.601	
31.250	98.733	95.910	97.556	
62.500	96.462	95.540	97.385	
125.000	97.192	96.310	98.075	
250.000	97.084	96.643	97.525	
500.000	98.108	98.916	99.299	




3rd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	21.664	15.691	27.637	
1.953	40.316	35.650	44.982	
3.906	56.889	52.192	61.585	
7.813	78.759	76.503	81.014	
15.625	94.144	93.162	95.127	
31.250	95.575	93.964	97.186	
62.500	96.575	96.072	97.078	
125.000	96.670	95.738	97.601	
250.000	97.031	96.698	97.363	
500.000	88.782	86.629	92.936	


5

round3


S:SSS



1st Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	27.645	22.391	32.896	
1.953	46.125	42.277	49.973	
3.906	60.531	57.534	63.529	
7.813	81.017	79.218	82.816	
15.625	92.588	90.506	94.670	
31.250	93.784	93.160	94.409	
62.500	97.430	96.581	98.280	
125.000	92.486	91.061	93.912	
250.000	98.295	97.575	99.015	
500.000	84.207	79.914	88.500	



2nd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	33.055	26.364	39.746	
1.953	51.005	44.914	57.096	
3.906	67.564	63.465	71.663	
7.813	89.666	86.631	92.700	
15.625	96.615	95.209	98.021	
31.250	97.466	96.496	98.437	
62.500	97.934	96.880	98.988	
125.000	98.298	97.989	98.607	
250.000	98.106	97.891	98.410	
500.000	96.133	94.673	97.593	




3rd Exp.				
a	%supp	Lower Limit	Upper Limit	
Comparison Conc.				
DMSO	0	0	0	0
0.977	25.797	19.943	31.650	
1.953	36.972	30.192	43.751	
3.906	57.820	53.735	61.904	
7.813	78.970	75.663	82.277	
15.625	92.859	91.511	94.207	
31.250	96.648	95.750	97.547	
62.500	96.829	96.125	97.533	
125.000	97.115	96.094	98.135	
250.000	94.559	93.697	95.420	
500.000	81.450	74.923	87.977	

6


Lab B chem.1

round1


S:SSS



Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	25.105	10.379	39.832
1.953	48.085	39.073	57.097
3.906	69.647	63.157	76.137
7.813	85.168	82.912	87.423
15.625	94.850	92.631	97.068
31.250	98.389	97.598	99.181
62.500	99.705	99.487	99.924
125.000	99.872	99.664	100.079
250.000	100.055	99.556	100.554
500.000	99.796	99.076	100.516




Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	40.932	32.044	49.819
1.953	57.257	52.897	61.617
3.906	80.723	78.399	83.048
7.813	92.977	91.738	94.215
15.625	98.082	96.535	99.630
31.250	97.947	96.292	99.603
62.500	98.620	97.388	99.852
125.000	98.850	97.884	99.816
250.000	99.709	99.066	100.352
500.000	100.047	99.751	100.344




Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	28.684	18.244	39.123
1.953	47.983	39.050	56.916
3.906	71.438	67.329	75.547
7.813	87.029	84.780	89.278
15.625	96.393	95.031	97.754
31.250	97.843	97.256	98.430
62.500	99.690	99.457	99.922
125.000	99.720	99.622	99.818
250.000	99.777	99.738	99.816
500.000	99.626	99.494	99.758

round2


S:SSS



Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	34.922	14.778	55.066
1.953	56.757	35.410	78.105
3.906	78.264	73.608	82.919
7.813	90.051	84.504	95.599
15.625	95.848	94.931	96.765
31.250	98.948	98.312	99.584
62.500	98.945	98.463	99.427
125.000	99.763	99.530	99.995
250.000	99.887	99.384	100.389
500.000	99.939	99.636	100.242



Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	44.048	41.678	46.417
1.953	66.834	64.626	69.041
3.906	88.960	87.160	90.761
7.813	97.151	95.756	98.547
15.625	99.578	99.372	99.784
31.250	99.594	99.390	99.789
62.500	99.707	99.559	99.854
125.000	99.633	99.471	99.795
250.000	99.543	99.360	99.726
500.000	99.648	99.476	99.819




Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	37.576	21.496	53.657
1.953	49.128	37.062	61.193
3.906	71.679	65.894	77.464
7.813	92.176	88.923	95.429
15.625	97.418	96.436	98.400
31.250	99.241	98.777	99.706
62.500	99.370	99.004	99.736
125.000	99.881	99.689	100.073
250.000	99.916	99.693	100.138
500.000	99.619	99.312	99.926

7


Lab B chem.1

round3


S:SSS



Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	30.705	12.682	48.727
1.953	36.219	27.325	45.112
3.906	68.072	63.655	72.490
7.813	86.553	84.667	88.439
15.625	95.166	94.293	96.040
31.250	99.061	98.456	99.666
62.500	99.571	99.009	100.133
125.000	99.642	99.233	100.051
250.000	99.231	98.724	99.738
500.000	99.554	98.987	100.712



Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	25.078	18.616	31.540
1.953	44.566	39.294	49.837
3.906	64.561	62.828	66.294
7.813	85.167	84.079	86.255
15.625	95.188	94.757	95.618
31.250	99.254	99.091	99.418
62.500	98.989	98.584	99.393
125.000	99.268	98.811	99.724
250.000	99.635	99.449	99.821
500.000	99.765	99.526	100.003




Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0
0.977	31.264	23.643	38.885
1.953	52.400	47.979	56.820
3.906	68.655	63.164	74.145
7.813	82.351	81.077	83.624
15.625	93.935	93.239	94.631
31.250	98.289	95.236	97.342
62.500	99.113	98.628	99.599
125.000	99.102	98.794	99.409
250.000	99.059	98.470	99.648
500.000	99.536	99.381	99.690

8


Lab C chem.1

round1


S:SSS



1st Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
DMSO	0	0	0	0
0.977	35.459	24.559	46.358	
1.953	52.990	45.844	60.336	
3.906	68.746	63.730	73.761	
7.813	85.762	83.093	88.430	
15.625	96.243	95.636	98.890	
31.250	98.219	97.854	98.584	
62.500	97.277	96.418	98.137	
125.000	98.008	97.367	98.650	
250.000	98.263	97.716	98.810	
500.000	61.883	54.014	69.752	




2nd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
DMSO	0	0	0	0
0.977	12.839	1.367	24.311	
1.953	29.519	20.192	38.846	
3.906	51.221	44.294	58.148	
7.813	77.253	74.060	80.447	
15.625	96.175	95.585	96.766	
31.250	97.940	97.391	98.289	
62.500	97.734	97.313	98.154	
125.000	97.608	97.200	98.016	
250.000	96.320	97.759	98.880	
500.000	74.783	66.587	80.979	




3rd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
DMSO	0	0	0	0
0.977	10.946	-4.361	26.252	
1.953	26.938	17.930	35.945	
3.906	48.729	41.726	55.732	
7.813	74.994	72.100	77.887	
15.625	95.159	94.160	96.159	
31.250	93.466	92.250	94.681	
62.500	93.158	91.788	94.528	
125.000	95.693	95.044	96.343	
250.000	97.598	97.219	97.977	
500.000	91.328	89.147	93.508	

round2


S:SSS



1st Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
DMSO	0	0	0	0
0.977	1.383	-9.868	12.633	
1.953	31.561	22.817	40.305	
3.906	53.616	49.239	57.993	
7.813	75.394	72.067	78.121	
15.625	92.787	92.108	93.466	
31.250	96.230	95.704	96.755	
62.500	95.876	95.271	96.480	
125.000	96.789	96.750	97.821	
250.000	98.584	97.933	98.836	
500.000	88.163	84.375	93.951	



2nd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
DMSO	0	0	0	0
0.977	41.152	33.520	48.783	
1.953	49.685	44.486	54.883	
3.906	71.934	68.545	75.322	
7.813	85.821	83.616	87.625	
15.625	95.056	94.507	95.605	
31.250	97.966	97.470	98.462	
62.500	98.528	98.208	98.848	
125.000	98.467	98.108	98.827	
250.000	98.349	97.953	98.744	
500.000	95.579	93.590	97.567	




3rd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
DMSO	0	0	0	0
0.977	24.148	21.378	26.917	
1.953	29.517	26.974	32.060	
3.906	64.125	61.983	66.266	
7.813	73.871	72.683	74.660	
15.625	90.786	90.287	91.285	
31.250	94.231	93.839	94.623	
62.500	95.514	95.053	95.975	
125.000	96.479	96.018	96.941	
250.000	98.041	97.920	98.163	
500.000	87.222	83.001	91.443	

9


Lab C chem.1

round3


S:SSS



1st Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
DMSO	0	0	0	0
0.977	30.256	17.494	43.018	
1.953	47.757	40.849	54.665	
3.906	55.176	49.212	61.140	
7.813	70.489	64.412	76.567	
15.625	91.473	90.670	92.267	
31.250	95.825	95.300	96.350	
62.500	95.691	94.763	96.619	
125.000	96.593	95.985	97.200	
250.000	97.972	97.357	98.587	
500.000	87.753	85.885	89.621	




2nd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
DMSO	0	0	0	0
0.977	33.115	27.656	38.573	
1.953	44.712	42.238	47.186	
3.906	63.277	59.767	66.786	
7.813	78.697	76.489	80.904	
15.625	93.038	91.946	94.131	
31.250	95.181	94.085	96.276	
62.500	96.899	96.700	97.097	
125.000	97.371	97.220	97.522	
250.000	98.974	98.543	99.405	
500.000	93.519	91.781	95.257	




3rd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
DMSO	0	0	0	0
0.977	27.145	22.948	31.342	
1.953	43.115	35.165	51.065	
3.906	62.424	58.566	66.282	
7.813	81.495	76.958	86.032	
15.625	92.589	90.828	94.650	
31.250	97.818	97.301	98.335	
62.500	98.058	97.511	98.604	
125.000	97.615	96.673	98.557	
250.000	98.020	97.458	98.582	
500.000	92.518	89.508	95.527	


10

round1
S:SAS


1st Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	17.394	6.591	28.198	
0.488	14.120	3.422	24.819	
0.977	16.792	8.347	25.237	
1.953	16.822	9.346	24.298	
3.906	11.775	2.989	20.561	
7.813	15.395	6.257	24.532	
15.625	13.749	4.326	23.172	
31.250	0.951	-9.193	11.095	
62.500	14.456	-11.680	40.592	
125.000	42.523	27.758	57.288	




2nd Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	15.440	-1.687	32.567	
0.488	14.757	-1.699	31.213	
0.977	10.885	-6.596	28.365	
1.953	7.317	-18.538	33.173	
3.906	-2.744	-22.521	17.032	
7.813	-0.823	-24.008	22.361	
15.625	-19.428	-42.142	3.287	
31.250	-26.222	-53.049	0.605	
62.500	-46.300	-73.250	-19.350	
125.000	-2.961	-21.195	15.273	




3rd Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	13.926	-3.382	31.234	
0.488	4.492	-12.692	21.676	
0.977	24.074	9.331	38.817	
1.953	2.730	-13.445	18.904	
3.906	2.951	-16.531	22.433	
7.813	11.641	-3.190	26.472	
15.625	2.000	-20.519	24.519	
31.250	-12.355	-31.908	7.197	
62.500	21.958	9.270	34.646	
125.000	78.172	73.730	82.615	

round2
N:NNN

1st Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	11.897	4.635	19.160	
0.488	11.658	3.701	19.615	
0.977	14.170	4.968	23.372	
1.953	11.744	2.742	20.745	
3.906	9.891	2.038	17.744	
7.813	8.505	-0.016	17.026	
15.625	4.644	-3.446	12.733	
31.250	-0.511	-7.626	6.604	
62.500	-14.272	-25.195	-3.348	
125.000	15.852	1.536	30.169	




2nd Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	10.808	3.992	17.624	
0.488	7.854	-3.015	18.723	
0.977	9.070	0.560	17.580	
1.953	8.597	1.105	16.090	
3.906	8.785	3.077	14.494	
7.813	13.105	7.037	19.174	
15.625	0.175	-7.335	7.686	
31.250	-5.464	-11.886	0.907	
62.500	-11.341	-18.333	-4.349	
125.000	0.654	-7.098	8.406	




3rd Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	0.696	-13.611	15.003	
0.488	4.990	-10.213	20.192	
0.977	4.838	-6.903	16.579	
1.953	4.491	-6.473	15.455	
3.906	13.094	-8.480	34.669	
7.813	7.356	-5.573	20.284	
15.625	12.184	-1.907	26.275	
31.250	0.119	-9.932	10.171	
62.500	-7.635	-17.324	2.054	
125.000	21.663	13.271	30.055	


11

round3
N:NNN

1st Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	10.582	6.634	14.529	
0.488	12.612	6.431	18.793	
0.977	15.689	11.441	19.936	
1.953	20.382	16.352	24.413	
3.906	19.298	15.413	23.184	
7.813	15.700	11.593	19.808	
15.625	7.445	2.520	12.371	
31.250	2.584	-5.123	10.290	
62.500	-1.786	-12.248	8.676	
125.000	12.301	5.598	19.004	



2nd Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	3.429	-14.480	21.338	
0.488	6.660	-12.541	25.860	
0.977	14.270	-3.064	31.604	
1.953	12.204	-4.610	29.019	
3.906	7.806	-9.306	24.917	
7.813	8.651	-9.707	27.009	
15.625	4.624	-14.279	23.526	
31.250	7.111	-11.050	25.272	
62.500	-11.800	-33.441	9.842	
125.000	11.043	-5.780	27.866	






3rd Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	7.394	-10.436	25.223	
0.488	4.485	-13.804	22.774	
0.977	8.824	-9.963	27.611	
1.953	2.781	-16.345	21.907	
3.906	3.663	-15.856	23.182	
7.813	6.391	-12.169	24.951	
15.625	-0.288	-20.212	19.635	
31.250	-11.091	-32.209	10.027	
62.500	-15.200	-37.732	7.332	
125.000	-0.121	-24.226	23.984	

12

Lab B chem.2

round1
S:SSS



1st Exp.

a	%supp	Lower Limit	Upper Limit
Comparison Conc.	0	0	0
DMSO			
0.244	16.237	4.953	27.521
0.488	21.482	12.555	30.410
0.977	15.628	6.867	24.385
1.953	25.390	15.433	35.347
3.906	20.576	12.213	28.940
7.813	18.528	8.938	28.118
15.625	21.891	11.523	32.260
31.250	9.052	-0.551	18.654
62.500	26.232	17.425	35.038
125.000	59.954	55.456	64.453




2nd Exp.

a	%supp	Lower Limit	Upper Limit
Comparison Conc.	0	0	0
DMSO			
0.244	4.829	-7.239	16.898
0.488	21.912	12.546	31.279
0.977	11.111	0.534	21.687
1.953	10.184	-3.477	23.846
3.906	21.520	11.067	31.973
7.813	43.744	31.740	55.749
15.625	15.751	3.483	28.020
31.250	31.872	22.823	40.922
62.500	47.945	37.428	58.462
125.000	72.385	67.825	76.946

3rd Exp.

a	%supp	Lower Limit	Upper Limit
Comparison Conc.	0	0	0
DMSO			
0.244	13.836	-0.592	28.263
0.488	22.856	10.702	35.009
0.977	30.386	19.519	41.277
1.953	26.050	15.448	36.653
3.906	23.344	12.427	34.260
7.813	23.354	8.627	38.082
15.625	9.115	-6.908	25.137
31.250	21.925	7.822	36.028
62.500	34.895	25.609	44.181
125.000	59.203	53.157	65.249

round2
S:SSS



1st Exp.

a	%supp	Lower Limit	Upper Limit
Comparison Conc.	0	0	0
DMSO			
0.244	17.976	-2.104	38.055
0.488	19.569	3.452	35.686
0.977	17.893	-2.324	38.110
1.953	25.594	6.776	44.411
3.906	15.602	-3.038	34.242
7.813	30.628	19.998	41.258
15.625	20.843	8.712	32.973
31.250	20.704	-1.485	42.892
62.500	29.984	21.207	38.761
125.000	56.303	50.050	62.557

2nd Exp.

a	%supp	Lower Limit	Upper Limit
Comparison Conc.	0	0	0
DMSO			
0.244	21.472	12.122	30.822
0.488	17.807	9.897	25.717
0.977	22.055	13.282	30.827
1.953	31.246	14.680	47.812
3.906	24.851	17.753	31.950
7.813	32.994	26.184	39.803
15.625	26.036	18.032	34.039
31.250	21.760	12.132	31.987
62.500	26.788	11.880	41.695
125.000	58.215	53.754	62.676




3rd Exp.

a	%supp	Lower Limit	Upper Limit
Comparison Conc.	0	0	0
DMSO			
0.244	13.251	6.429	20.074
0.488	20.591	12.650	28.533
0.977	15.438	1.916	28.960
1.953	14.047	0.824	27.270
3.906	16.464	4.631	28.296
7.813	24.430	14.258	34.601
15.625	17.197	5.696	28.699
31.250	16.223	8.174	24.272
62.500	19.388	10.488	28.287
125.000	41.138	36.331	45.945

13

Lab B chem.2

round3
S:SSN



1st Exp.

a	%supp	Lower Limit	Upper Limit
Comparison Conc.	0	0	0
DMSO			
0.244	1.459	-4.458	7.377
0.488	10.008	-0.795	20.811
0.977	-1.013	-8.684	6.659
1.953	1.361	-5.024	7.746
3.906	6.321	2.726	9.916
7.813	17.043	4.314	29.772
15.625	10.669	1.117	20.220
31.250	15.367	0.797	29.938
62.500	32.522	25.147	39.897
125.000	70.091	66.892	73.291

2nd Exp.

a	%supp	Lower Limit	Upper Limit
Comparison Conc.	0	0	0
DMSO			
0.244	14.966	2.286	27.645
0.488	16.856	6.310	27.401
0.977	15.858	4.205	27.511
1.953	13.877	5.512	22.242
3.906	19.822	1.761	37.882
7.813	17.740	12.016	23.464
15.625	14.628	7.171	22.086
31.250	12.256	-1.999	26.511
62.500	12.538	-2.589	27.665
125.000	49.404	42.403	56.404

3rd Exp.


a	%supp	Lower Limit	Upper Limit
Comparison Conc.	0	0	0
DMSO			
0.244	4.034	-2.861	10.929
0.488	-2.085	-15.035	10.865
0.977	6.602	-7.447	20.651
1.953	9.432	1.011	17.854
3.906	7.376	-3.759	18.511
7.813	9.126	-3.022	21.274
15.625	7.174	-1.492	15.840
31.250	15.797	-1.514	33.108
62.500	4.604	-7.251	16.460
125.000	42.251	30.674	53.828

14


Lab C chem.2

round1


S:NSS



1st Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	-1.900	-9.868	6.068	
0.488	7.386	1.489	13.282	
0.977	-2.102	-13.539	9.335	
1.953	7.739	2.549	12.930	
3.906	-8.330	-16.967	0.307	
7.813	6.260	0.963	11.557	
15.625	0.931	-6.020	7.863	
31.250	10.916	5.947	15.985	
62.500	4.552	-2.761	11.866	
125.000	28.710	18.819	38.600	




2nd Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	-7.331	-19.106	4.443	
0.488	1.722	-4.250	7.693	
0.977	13.712	7.715	19.708	
1.953	8.440	0.288	16.592	
3.906	17.277	11.908	22.646	
7.813	16.947	11.475	22.419	
15.625	-2.197	-10.464	6.071	
31.250	3.842	-1.933	8.618	
62.500	11.434	2.884	19.984	
125.000	52.105	48.399	55.811	




3rd Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	6.813	-15.302	28.928	
0.488	24.481	6.203	42.760	
0.977	20.506	4.415	36.598	
1.953	17.299	0.071	34.528	
3.906	14.275	-3.635	32.184	
7.813	10.424	-7.604	28.451	
15.625	14.280	-3.276	31.836	
31.250	20.884	4.643	36.925	
62.500	22.832	7.184	38.480	
125.000	41.002	27.954	54.050	

round2


S:SSN



1st Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	8.525	-3.942	16.991	
0.488	27.412	17.955	36.868	
0.977	6.008	-4.540	16.556	
1.953	1.334	-10.571	13.240	
3.906	11.047	-0.469	22.562	
7.813	6.560	-4.230	17.349	
15.625	-1.258	-12.947	10.431	
31.250	-1.067	-15.230	13.096	
62.500	0.176	-15.450	15.801	
125.000	46.904	27.229	66.579	



2nd Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	22.104	15.460	28.749	
0.488	16.452	11.625	21.278	
0.977	26.066	21.648	30.484	
1.953	20.256	12.025	28.486	
3.906	6.655	1.503	11.807	
7.813	7.726	1.837	13.616	
15.625	1.073	-6.616	8.762	
31.250	16.358	9.529	23.187	
62.500	22.546	8.336	36.756	
125.000	65.306	50.123	80.489	




3rd Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	16.158	10.304	22.011	
0.488	14.672	9.358	19.986	
0.977	32.221	22.377	42.065	
1.953	20.795	13.546	28.045	
3.906	22.116	16.195	26.037	
7.813	26.975	21.083	32.867	
15.625	21.459	14.904	28.013	
31.250	24.954	16.977	32.931	
62.500	16.936	10.764	23.107	
125.000	46.762	41.022	52.503	

15


Lab C chem.2

round3


N:NNN



1st Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	13.011	5.885	20.138	
0.488	23.394	16.230	30.557	
0.977	16.484	9.610	23.359	
1.953	9.054	1.745	16.364	
3.906	15.047	2.213	27.780	
7.813	8.667	3.493	13.841	
15.625	10.116	2.704	17.529	
31.250	18.089	6.828	29.349	
62.500	7.695	-0.762	16.151	
125.000	63.220	59.698	66.741	



2nd Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	21.442	17.522	25.361	
0.488	12.674	5.454	19.894	
0.977	28.512	19.359	37.666	
1.953	16.965	12.384	21.545	
3.906	15.279	9.974	20.583	
7.813	10.049	6.867	13.231	
15.625	11.982	5.638	18.325	
31.250	5.083	-0.230	10.395	
62.500	1.114	-3.518	5.746	
125.000	56.529	43.733	69.324	






3rd Exp.				
a	Comparison Conc.	%supp	Lower Limit	Upper Limit
DMSO	0	0	0	0
0.244	19.417	11.846	26.989	
0.488	7.154	-2.753	17.061	
0.977	11.187	3.181	19.192	
1.953	-5.878	-21.442	9.685	
3.906	14.368	5.485	23.252	
7.813	3.001	-6.156	12.158	
15.625	-9.245	-24.171	5.681	
31.250	-2.094	-19.181	14.993	
62.500	-1.818	-13.159	9.523	
125.000	47.891	38.904	56.878	

16

Lab A chem.3

round1

S:SSS






1st Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw				
3.906	0	0	0	0
7.813	8.668	-3.714	21.050	
15.625	18.525	7.653	29.398	
31.250	24.949	13.188	36.710	
62.500	36.927	27.972	45.882	
125.000	55.540	46.974	64.106	
250.000	84.197	81.304	87.091	
500.000	98.557	98.259	98.856	
1000.000	100.186	99.866	100.507	
2000.000	100.166	99.890	100.442	
	100.035	99.670	100.500	

2nd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw				
3.906	0	0	0	0
7.813	24.525	17.277	31.774	
15.625	24.713	15.326	34.100	
31.250	28.317	18.289	38.344	
62.500	42.979	31.743	54.215	
125.000	60.401	56.779	64.023	
250.000	80.616	78.329	82.903	
500.000	97.816	96.949	98.683	
1000.000	99.472	99.194	99.750	
2000.000	99.968	99.793	100.143	
	100.273	99.698	100.648	

3rd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw				
3.906	0	0	0	0
7.813	9.343	-2.867	21.553	
15.625	20.418	8.275	32.560	
31.250	20.881	8.421	33.341	
62.500	32.478	18.102	46.853	
125.000	45.881	38.268	53.494	
250.000	76.228	72.565	79.887	
500.000	97.095	96.544	97.647	
1000.000	99.917	99.728	100.106	
2000.000	100.076	99.824	100.327	
	100.151	99.883	100.408	

round2

S:SSS



1st Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw				
3.906	13.290	10.074	16.506	
7.813	18.094	13.850	22.339	
15.625	24.803	20.574	29.032	
31.250	33.206	28.705	37.708	
62.500	49.441	47.284	51.598	
125.000	74.007	72.484	75.530	
250.000	96.767	96.143	97.391	
500.000	99.791	99.708	99.873	
1000.000	99.829	99.779	99.878	
2000.000	100.093	99.926	100.259	

2nd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw				
3.906	9.024	4.465	13.584	
7.813	9.291	2.360	16.222	
15.625	19.099	14.380	23.819	
31.250	22.665	17.083	28.268	
62.500	46.446	43.066	49.825	
125.000	75.671	74.468	76.874	
250.000	96.781	96.470	97.092	
500.000	99.765	99.605	99.924	
1000.000	99.618	99.540	99.696	
2000.000	99.981	99.766	100.196	




3rd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw				
3.906	-15.476	-37.379	6.427	
7.813	-2.358	-22.276	17.559	
15.625	4.534	-13.248	22.316	
31.250	16.883	0.647	33.119	
62.500	36.091	24.045	48.137	
125.000	70.366	64.850	75.881	
250.000	95.256	94.285	96.227	
500.000	99.757	99.564	99.950	
1000.000	99.717	99.462	99.971	
2000.000	100.141	99.970	100.313	

17

Lab A chem.3

round3

S:SSS



1st Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw				
3.906	0	0	0	0
7.813	6.812	-0.423	14.047	
15.625	12.582	5.897	19.266	
31.250	20.727	16.119	25.334	
62.500	22.956	17.689	28.223	
125.000	44.654	41.647	47.661	
250.000	71.167	69.566	72.767	
500.000	96.374	95.581	97.168	
1000.000	99.442	99.393	99.491	
2000.000	99.877	99.660	100.094	
	100.095	99.929	100.261	


2nd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw				
3.906	0	0	0	0
7.813	10.471	7.503	13.439	
15.625	16.205	11.834	20.577	
31.250	26.180	20.073	32.287	
62.500	32.274	28.825	35.723	
125.000	51.929	47.678	56.179	
250.000	80.165	78.094	82.236	
500.000	97.712	97.536	97.888	
1000.000	99.704	99.416	99.993	
2000.000	99.779	99.512	100.045	
	100.165	100.004	100.327	

3rd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw				
3.906	0	0	0	0
7.813	5.179	0.609	9.749	
15.625	-0.054	-12.677	12.568	
31.250	8.624	-0.472	17.720	
62.500	20.335	12.489	28.182	
125.000	35.359	30.153	40.566	
250.000	65.010	61.198	68.823	
500.000	94.035	93.385	94.685	
1000.000	99.555	99.386	99.724	
2000.000	99.878	99.805	99.951	
	100.214	100.046	100.382	


18

round1


S:SSS



1st Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw	0	0	0	0
0.977	3.110	-9.671	15.891	
1.953	-3.737	-18.355	10.881	
3.906	6.962	-7.234	21.158	
7.813	17.487	5.617	29.358	
15.625	12.953	-0.188	26.092	
31.250	24.254	12.308	36.200	
62.500	34.127	24.157	44.097	
125.000	68.190	63.804	72.577	
250.000	93.244	92.192	94.295	
500.000	99.350	99.058	99.642	




2nd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw	0	0	0	0
0.977	-8.522	-23.445	6.401	
1.953	-1.266	-14.155	11.624	
3.906	-4.219	-17.788	9.350	
7.813	14.039	2.404	25.674	
15.625	20.786	10.061	31.491	
31.250	27.674	18.939	36.410	
62.500	50.251	44.313	56.188	
125.000	84.599	83.032	86.165	
250.000	94.676	93.420	95.932	
500.000	99.810	98.526	101.095	




3rd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw	0	0	0	0
0.977	17.177	6.688	27.686	
1.953	6.525	-5.725	18.774	
3.906	6.043	-8.306	20.392	
7.813	26.746	16.265	37.227	
15.625	21.431	7.074	35.787	
31.250	34.673	21.977	47.369	
62.500	41.132	32.355	49.909	
125.000	71.054	65.135	76.974	
250.000	94.671	93.456	95.886	
500.000	99.421	98.933	99.908	

round2


S:SSS



1st Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw	0	0	0	0
0.977	-18.993	-60.319	22.333	
1.953	-10.837	-28.970	7.297	
3.906	28.042	-1.540	57.624	
7.813	6.794	-7.450	21.037	
15.625	23.266	8.453	38.080	
31.250	55.733	41.095	70.370	
62.500	48.903	40.767	57.019	
125.000	81.540	75.620	87.459	
250.000	97.758	96.577	98.938	
500.000	99.952	99.766	100.138	



2nd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw	0	0	0	0
0.977	0.024	-12.477	12.526	
1.953	3.881	-7.183	14.945	
3.906	9.264	-5.206	23.733	
7.813	11.306	4.779	17.834	
15.625	25.808	16.038	35.579	
31.250	25.237	18.285	32.189	
62.500	48.752	42.607	54.896	
125.000	75.680	73.013	78.347	
250.000	96.809	96.048	97.570	
500.000	99.727	99.683	99.771	




3rd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw	0	0	0	0
0.977	8.229	-5.585	22.043	
1.953	8.480	-7.506	24.467	
3.906	29.507	17.528	41.486	
7.813	22.680	7.531	37.838	
15.625	51.295	41.104	61.485	
31.250	62.529	55.577	69.481	
62.500	80.223	76.341	84.104	
125.000	94.398	92.999	95.798	
250.000	98.827	98.368	99.285	
500.000	99.445	98.878	100.012	


19

round3


S:SSS



1st Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw	0	0	0	0
0.977	7.332	-9.383	24.046	
1.953	11.180	-7.034	29.394	
3.906	17.923	3.452	32.394	
7.813	23.703	10.384	37.022	
15.625	29.977	16.793	43.162	
31.250	46.205	33.028	59.382	
62.500	61.806	53.963	69.648	
125.000	80.994	76.887	85.101	
250.000	97.002	95.917	98.087	
500.000	99.888	99.167	100.610	



2nd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw	0	0	0	0
0.977	11.438	3.101	19.774	
1.953	14.199	5.740	22.659	
3.906	16.373	5.466	27.280	
7.813	27.338	20.470	34.207	
15.625	31.656	25.319	37.993	
31.250	37.080	31.148	43.013	
62.500	45.112	37.556	52.667	
125.000	75.587	71.179	79.995	
250.000	96.730	96.094	97.365	
500.000	99.564	99.432	99.695	




3rd Exp.				
a	Comparison	%supp	Lower Limit	Upper Limit
Conc.				
ddw	0	0	0	0
0.977	11.910	3.760	20.061	
1.953	13.919	5.718	22.119	
3.906	13.899	3.342	24.456	
7.813	19.828	15.235	24.420	
15.625	22.359	15.556	29.162	
31.250	29.420	18.767	40.074	
62.500	41.166	36.039	46.292	
125.000	73.030	71.512	74.549	
250.000	95.771	94.988	96.554	
500.000	99.666	99.578	99.754	

20

Lab C chem.3


round1

S:SSS



round2

S:SSS




21

Lab C chem.3

round3

S:SSS




22


Lab A chem.4

round1


S:SSS



Comparison Conc.	%supp	Lower Limit	Upper Limit
ddw	0	0	0
3.906	-0.450	-23.945	23.045
7.813	-2.855	-18.694	12.983
15.625	0.218	-15.674	16.111
31.250	7.176	-9.285	23.638
62.500	26.432	15.780	37.084
125.000	25.594	13.283	37.905
250.000	75.789	62.942	88.636
500.000	100.103	99.460	100.745




Comparison Conc.	%supp	Lower Limit	Upper Limit
ddw	0	0	0
3.906	12.981	-3.697	29.660
7.813	1.747	-13.143	16.637
15.625	13.839	-2.197	29.875
31.250	21.529	13.122	29.936
62.500	38.841	22.959	55.122
125.000	47.339	34.771	59.907
250.000	77.207	69.933	84.480
500.000	99.604	99.154	100.055




Comparison Conc.	%supp	Lower Limit	Upper Limit
ddw	0	0	0
3.906	2.091	-14.989	19.150
7.813	4.739	-12.001	21.479
15.625	8.705	-8.337	25.748
31.250	12.022	-3.254	27.299
62.500	38.197	25.555	50.840
125.000	44.629	28.608	60.651
250.000	80.029	70.896	89.163
500.000	100.269	100.050	100.488

round2


S:SSS



Comparison Conc.	%supp	Lower Limit	Upper Limit
ddw	0	0	0
3.906	2.454	-1.315	6.224
7.813	1.018	-4.982	7.017
15.625	5.018	0.847	9.189
31.250	9.913	7.325	12.501
62.500	16.855	12.456	21.253
125.000	32.471	30.698	34.345
250.000	74.509	59.048	89.972
500.000	99.517	99.385	99.649



Comparison Conc.	%supp	Lower Limit	Upper Limit
ddw	0	0	0
3.906	2.531	-1.206	6.268
7.813	10.103	5.077	15.129
15.625	7.280	4.419	10.141
31.250	7.662	1.467	13.858
62.500	31.862	29.049	34.675
125.000	45.299	34.714	55.885
250.000	72.945	61.975	83.916
500.000	99.532	99.277	99.788




Comparison Conc.	%supp	Lower Limit	Upper Limit
ddw	0	0	0
3.906	-2.367	-18.739	14.005
7.813	-0.633	-14.763	13.497
15.625	-7.732	-23.669	8.205
31.250	2.717	-14.095	19.528
62.500	23.169	11.752	34.585
125.000	37.114	19.585	54.642
250.000	71.554	57.884	85.224
500.000	99.316	99.111	99.520

23


Lab A chem.4

round3


S:SSS



Comparison Conc.	%supp	Lower Limit	Upper Limit
ddw	0	0	0
3.906	-0.192	-5.622	5.239
7.813	3.065	-3.577	9.707
15.625	5.367	0.024	10.709
31.250	6.109	0.249	11.969
62.500	15.551	11.454	19.649
125.000	26.712	18.936	34.487
250.000	63.634	54.382	72.887
500.000	99.216	99.036	99.395



Comparison Conc.	%supp	Lower Limit	Upper Limit
ddw	0	0	0
3.906	1.990	-8.487	12.468
7.813	4.934	-3.459	13.326
15.625	3.890	-5.823	13.603
31.250	5.930	-3.591	15.441
62.500	27.383	15.513	39.254
125.000	27.938	12.332	43.543
250.000	59.270	38.215	80.326
500.000	98.004	96.836	99.173




Comparison Conc.	%supp	Lower Limit	Upper Limit
ddw	0	0	0
3.906	8.816	3.024	14.608
7.813	5.329	-1.405	12.063
15.625	8.882	-0.479	18.243
31.250	3.270	-7.534	14.074
62.500	23.895	18.935	28.856
125.000	43.110	33.487	52.733
250.000	65.240	51.590	78.890
500.000	98.527	97.989	99.065

24


Lab B chem.4

round1


S:SSS



1st Exp.				
Comparison Conc.	%supp	Lower Limit	Upper Limit	
ddw	0	0	0	
3.906	5.646	-5.956	17.249	
7.813	-10.812	-27.488	5.864	
15.625	-4.064	-18.914	10.786	
31.250	-3.290	-23.623	17.043	
62.500	12.229	2.509	21.948	
125.000	21.351	11.095	31.606	
250.000	62.895	40.073	85.317	
500.000	99.111	97.667	100.556	




2nd Exp.				
Comparison Conc.	%supp	Lower Limit	Upper Limit	
ddw	0	0	0	
3.906	-10.686	-16.987	-4.410	
7.813	14.354	1.136	27.571	
15.625	-6.047	-16.690	4.597	
31.250	12.686	1.068	24.303	
62.500	40.115	24.524	55.706	
125.000	28.281	6.569	49.992	
250.000	72.198	56.175	88.221	
500.000	99.057	96.932	101.183	




3rd Exp.				
Comparison Conc.	%supp	Lower Limit	Upper Limit	
ddw	0	0	0	
3.906	13.778	-5.003	32.560	
7.813	7.245	-17.529	32.020	
15.625	2.414	-16.729	21.557	
31.250	19.805	3.028	36.582	
62.500	33.246	20.924	45.569	
125.000	47.252	32.291	62.213	
250.000	75.080	57.651	92.509	
500.000	99.415	98.643	100.188	

round2


S:SSS



1st Exp.				
Comparison Conc.	%supp	Lower Limit	Upper Limit	
ddw	0	0	0	
3.906	-22.847	-44.230	-1.463	
7.813	2.378	-17.515	22.272	
15.625	-10.706	-24.073	2.662	
31.250	3.529	-19.213	26.271	
62.500	6.017	-13.026	25.061	
125.000	34.752	12.187	57.316	
250.000	51.924	38.385	65.462	
500.000	98.331	96.464	100.199	



2nd Exp.				
Comparison Conc.	%supp	Lower Limit	Upper Limit	
ddw	0	0	0	
3.906	6.865	-5.425	19.155	
7.813	2.436	-10.471	15.343	
15.625	8.436	-7.132	24.005	
31.250	11.567	2.551	20.583	
62.500	30.656	20.751	40.561	
125.000	49.551	30.987	68.116	
250.000	76.526	62.786	90.265	
500.000	99.850	99.720	99.979	




3rd Exp.				
Comparison Conc.	%supp	Lower Limit	Upper Limit	
ddw	0	0	0	
3.906	14.623	-2.519	31.765	
7.813	-0.823	-22.589	20.942	
15.625	21.154	0.346	41.962	
31.250	12.447	-8.447	33.341	
62.500	41.039	29.117	52.962	
125.000	52.633	38.801	66.466	
250.000	78.134	68.157	88.111	
500.000	99.857	99.580	100.135	

25


Lab B chem.4

round3


S:SSS



1st Exp.				
Comparison Conc.	%supp	Lower Limit	Upper Limit	
ddw	0	0	0	
3.906	-12.768	-18.029	-7.508	
7.813	-13.941	-18.554	-9.329	
15.625	-1.488	-12.739	9.762	
31.250	-4.184	-26.623	18.256	
62.500	33.591	19.967	47.215	
125.000	16.626	-14.094	47.346	
250.000	50.420	29.671	71.169	
500.000	97.571	95.267	99.876	



2nd Exp.				
Comparison Conc.	%supp	Lower Limit	Upper Limit	
ddw	0	0	0	
3.906	-0.116	-11.165	10.934	
7.813	0.497	-11.086	12.079	
15.625	8.452	-2.524	19.429	
31.250	12.080	2.577	21.583	
62.500	27.608	19.419	35.798	
125.000	45.763	38.349	53.177	
250.000	79.448	68.154	90.741	
500.000	100.029	99.738	100.321	




3rd Exp.				
Comparison Conc.	%supp	Lower Limit	Upper Limit	
ddw	0	0	0	
3.906	8.343	1.029	15.656	
7.813	9.598	1.428	17.768	
15.625	12.061	4.272	19.851	
31.250	19.558	13.970	25.146	
62.500	32.816	27.953	37.680	
125.000	40.797	35.093	46.501	
250.000	88.246	81.094	95.398	
500.000	99.967	99.606	100.329	

26

Lab C chem.4


round1

S:SSS



round2

S:SSS




27

Lab C chem.4

round3

S:SSS




28


Lab A chem.5

round1


N:ANN



a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.122	-9.690	-39.716	20.335
0.244	-17.294	-45.941	11.354
0.488	-29.209	-58.114	-0.305
0.977	-37.020	-67.153	-6.888




a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.122	2.820	-10.464	16.104
0.244	0.873	-14.589	16.335
0.488	10.537	-4.191	25.265
0.977	-37.090	-60.883	-13.298




a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.122	-1.294	-9.232	6.644
0.244	-3.904	-11.571	3.762
0.488	1.759	-6.667	10.184
0.977	-23.708	-42.339	-5.077

round2


N:NNN



a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.122	-1.602	-11.025	7.821
0.244	1.747	-8.071	11.565
0.488	-6.325	-13.675	1.025
0.977	-31.703	-41.372	-22.033



a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.122	-2.668	-12.023	6.687
0.244	-23.637	-33.416	-13.858
0.488	-19.852	-29.097	-10.607
0.977	68.256	55.899	80.612




a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.122	-4.278	-13.634	5.078
0.244	-2.409	-11.595	6.777
0.488	-1.753	-16.320	12.814
0.977	-14.642	-28.789	-0.495


Lab A chem.5

round3


N:NSN



a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.122	-10.415	-15.410	-5.421
0.244	-6.713	-15.233	1.808
0.488	-15.462	-22.921	-8.003
0.977	-31.451	-42.955	-19.947



a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.122	5.567	-10.221	21.355
0.244	0.541	-16.756	17.839
0.488	2.905	-13.601	19.411
0.977	3.847	-16.102	23.795
1.953	68.488	55.674	81.301




a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.122	3.601	-7.661	14.863
0.244	-3.396	-12.074	5.283
0.488	-2.083	-13.101	8.936
0.977	-16.526	-30.056	-2.995
1.953	75.610	67.152	84.068


Lab B chem.5

round1


N:NNN



a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.031	12.945	-1.084	26.974
0.061	14.715	4.048	25.383
0.122	11.450	2.204	20.696
0.244	9.922	-3.832	23.676
0.488	17.405	6.004	28.806
0.977	-21.277	-34.861	-7.693




a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.031	8.252	1.227	15.276
0.061	8.370	-0.094	16.834
0.122	5.367	-7.785	18.519
0.244	0.740	-12.805	14.286
0.488	10.496	2.184	18.808
0.977	-5.395	-21.337	10.546




a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.031	20.019	6.877	33.161
0.061	23.536	11.589	35.483
0.122	19.971	7.273	32.669
0.244	28.357	14.808	41.987
0.488	8.058	-6.820	22.936

round2


N:NSN



a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.031	-10.969	-30.857	8.919
0.061	-6.227	-23.428	10.974
0.122	-9.615	-38.459	19.230
0.244	-2.964	-15.735	9.806
0.488	-13.438	-39.040	12.163
0.977	-12.075	-40.071	15.921
1.953	67.907	49.187	86.627



a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.031	11.027	-2.389	24.442
0.061	22.211	12.328	32.094
0.122	24.776	18.247	31.305
0.244	19.224	9.223	29.224
0.488	28.158	18.688	33.628
0.977	52.723	44.771	60.675




a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.031	-1.686	-23.375	20.003
0.061	1.388	-17.986	20.762
0.122	4.936	-14.505	24.378
0.244	7.855	-8.828	24.336
0.488	2.104	-18.534	22.742
0.977	-7.567	-28.915	13.782


Lab B chem.5

round3


N:NNN



a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.031	15.371	-0.206	30.948
0.061	-5.299	-18.213	7.615
0.122	-7.529	-23.457	8.399
0.244	1.393	-15.693	18.478
0.488	-6.913	-21.662	8.036
0.977	-32.237	-50.408	-14.066




a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.031	6.107	-7.795	20.009
0.061	1.672	-11.717	15.061
0.122	4.695	-9.749	19.138
0.244	5.565	-7.953	19.112
0.488	11.043	-2.120	24.207
0.977	7.672	-5.043	20.387
1.953	72.147	65.675	78.620



a	%supp	Lower Limit	Upper Limit
Comparison Conc.			
DMSO	0	0	0
0.031	11.220	-1.046	23.486
0.061	16.628	8.056	25.200
0.122	17.028	7.657	26.399
0.244	5.584	-4.327	15.494
0.488	6.905	-3.492	17.302
0.977	-12.229	-24.572	0.115


round1

N:NNA



round2


N:NNN



33

round3

N:NNN



34